





Table of Contents

Terms and Conditions	Page 3
Colours and Pulls	Page 5
Cabinets	Page 7
Fillers	Page 11
Specialty Cabinets	Page 13
Tables and Benches	Page 15
Fume Hoods	Page 19
Fume Hood Accessories	Page 20

Terms and Conditions

Part Numbers

All Quick Ship orders must utilize specified QS part numbers available in the Quick Ship catalogue. Configurations outside of what is displayed on the Quick Ship program specification sheets are not available under the Quick Ship lead times.

Purchase Orders

For Quick Ship processing, please submit items on separate purchase order and clearly indicate "AMS Quick Ship". Purchase orders must include correct part numbers, pricing, reference a quote number if applicable, contain accurate contact information, and have a suitable address for material delivery. Do not combine Quick Ship and non Quick Ship items on the same purchase order. If an order is received with both standard and Quick Ship line items, the Quick Ship items will be broken out as a separate sales order and scheduled to ship separately. This additional step may delay processing.

Quantities

Large orders may be subject to limitations on the quantities. Any orders above that quantity will be treated as a standard order and standard lead times will apply.

Pricing

For pricing on Quick Ship items please contact info@canadianscientific.ca.

Lead Times

Quick Ship orders will ship within 20 business days as calculated from the time of sales order confirmation. All ship dates are estimated, and 20 day lead times do not include weekends or holidays.

Change Orders

Change orders and order cancellations cannot be accepted once a Quick Ship order is processed by Canadian Scientific.

Freight and Shipping

Orders will ship complete based on longest lead-time item. Quick Ship orders will ship within 20 business days as calculated from the time of sales order confirmation, and freight will be arranged through the dealer.

Returns

No returns, exchanges, or restocking can be accepted for Quick Ship items. All sales are final.

Terms and Conditions

Disclaimer

Canadian Scientific reserves the right to modify this program at any time.

Warranty

Standard Air Master Systems warranties applies to Quick Ship items.

Epoxy Powder Coat

Canadian Scientific currently offers AMS Petal White, Light Neutral, Model Grey, and Wedgewood Blue as our standard Quick Ship powder coat colours. See next page for colours.

Phenolic Resin Surfaces

Surfaces will have finished edges on all visible sides including a chamfer along the top on all sides. All phenolic surfaces are 1" thick and black. See next page for colour. Phenolic for shelving brackets is 3/4" thick and black.

Pulls

Standard pull option on Quick Ship is a stainless steel wire pull with magnetic catches. Locks are not an option on Quick Ship Cabinets.




Receive immediate confirmations and shipping quotes within 24 hours. Our reputable network of global manufacturing locations and local fulfillment centers ensures rapid shipment of reliable parts and products.

Colours & Pulls

These representations of our standard colours may vary from actual finished products. If colour match is critical, actual samples on metal can be supplied upon request. Special match colours can be supplied when specified. Please contact CSi for pricing information.


CASEWORK COLOURS (EPOXY POWDER COAT)




PHENOLIC SURFACES COLOUR



PULLS







CASEWORK

Cabinets

Standing height base cabinets are 34.75" high and 23.00" deep. Units are available in various widths as shown. Standard units feature 4"H toe kicks, stainless steel wire pulls and 100 lb. full extension soft close slides as standard. Door units feature a single shelf as standard.



SINGLE DOOR & DRAWER CABINETS



QS-SB3518-110L

QS-SB3518-110R

QS-SB3524-110L

QS-SB3524-110R

Available Colours: OOO

DOUBLE DOOR & DRAWER CABINETS



QS-SB3530-220

QS-SB3536-220

QS-SB3548-220

Available Colours: OOO

4 FULL DRAWER CABINETS



QS-SB3518-040

QS-SB3524-040

Available Colours: OOO



DOUBLE DOOR CABINETS



QS-SB3530-200

QS-SB3536-200

QS-SB3548-200

Available Colours: OOO





BLIND CORNER CABINETS



OS-SB3548-LHDLPN

QS-SB3548-RHDRPN

Available Colours: OOO

TALL CABINET



OS-SF8436-2SH


*Includes 5 Shelves

Available Colours:

Sink Cabinets

Standing height base cabinets are 34.75" high and 23.00" deep. Units are available as inset doors with various widths as shown. Stainless steel wire pulls as standard.





ISLAND SINK CABINETS



QS-SB3552-200-SI QS-SB3558-200-SI

Available Colours: OOO

DOUBLE DOOR SINK CABINETS



QS-SB3530-200-S QS-SB3536-200-S

QS-SB3548-200-S

Available Colours: OOO





ADA SINK CABINET



QS-SADAKSC36

Available Colours: OOO



SINGLE DOOR SINK CABINETS



QS-SB3212-100-SR* QS-SB3512-100-SR

QS-SB3524-100-SR

NOTE: ONLY AVAILABLE IN RH DOOR

*ADA HEIGHT (32")

Available Colours: OOO





DECK MOUNT FAUCET



QS-FXTDMMIXGNVB-BH-8




Sink Catalogue Available

Contact info@canadianscientific.ca for details.

Cabinets

Upper wall cabinets are 30" high and 13" deep. Units are available in various widths as shown. Stainless steel wire pulls as standard. Upper wall cabinets feature 2 adjustable shelves as standard. Mobile cabinets are 27" high and 23" deep, only available in 24" width and stainless steel wire pulls as standard. All mobile cabinets come with 3" wheel casters. All mobile cabinets with drawers come tip-resistant with counter-weight.





WALL CABINETS SINGLE DOOR



WALL CABINETS DOUBLE DOOR



MOBILE DRAWER CABINET



MOBILE DOOR/DRAWER CABINETS



MOBILE CABINETS - PHENOLIC TOP



Casework Accessories





END PEDESTALS



WALL STANDARDS



KNEE SPACE PANELS



WALL SHELVES



KNEE SPACE RAILS




SHELF BRACKET



Fillers

Base cabinet filler panels are available at 34.75" high. Note: AMS base cabinets are 23.00" deep.





WALL CABINET CORNER FILLER



QS-SWCCF0-0-13

Available Colours:

WALL CABINET FRONT C-FILLERS



QS-SWCFF30-1 QS-SWCFF30-2 QS-SWCFF30-3

Available Colours:

C-FILLERS



QS-SCF35-1 QS-SCF35-2

QS-SCF35-6

QS-SCF35-12

Available Colours: OOO

REAR FILLERS



QS-SLF32-6* QS-SLF35-6 QS-FSAS-SLF35-6.625

For ACID and FLAM Cabinets Only.

*ADA HEIGHT (32") OPTION AVAILABLE

Available Colours: OOO

FRONT FILLERS



QS-SFFL35-1 QS-SFFL35-7

Available Colours: OOO

CORNER FILLER



QS-SICF35-5-SJ

*Includes slip joints

Filler is 2.5" on each side

Available Colours: OOO

SLIP JOINT

QS-SSJ-35

Available Colours: OOO

Cabinet Finished Backs

Finished backs can be applied to a multitude of cabinets. The height, width, and depth must match the cabinet that the finished back is to be applied to. If you do not want a toe kick on your unit be sure to put the suffix "NTK" at the end of the part number.



FINISHED BACKS - NO TOE KICK



OS-CFB3530-6-NTK QS-CFB3536-6-NTK QS-CFB3548-6-NTK

Available Colours: OOO

FINISHED BACKS - W/ TOE KICK



QS-CFB3552-6 OS-CFB3558-6

Available Colours: OOO







Pictured: 36" Double Door and Drawer Base Cabinets (QS-SB3536-220) x2, Phenolic Surface Material, 36" Double Door Wall Cabinets x3 (QS-SW3036-2SH), Knee Space Panels (QS-SKSP3536-2P), Knee space Rail (QS-SKSR0436) and L-Fillers x2 (QS-SLF-35-6).



Pictured: 36" Double Door Sink Cabinet (QS-SB3536-200-S), 36" Double Door and Drawer Base Cabinet (QS-SB3536-220), 36" Double Door Wall Cabinet (QS-SW3036-2SH), Phenolic surface material, Bowl Sink (QS-CS-D55), Faucet (QS-FXTDMMIXGNVB-BH-8), and L-Fillers x2 (QS-SLF-35-6).

Specialty Cabinets

All specialty storage cabinets are a depth of 22.375". Made of reinforced steel with a hi-tech performance polymer alloy coating, which provides 100% coverage against corrosion. Flammable storage cabinets are reinforced steel and insulated. All Flammable cabinets have synchronized self closing doors.





SINGLE DOOR FLAMMABLE CABINET



QS-SFSB3524-22SCCL

NOTE: ONLY AVAILABLE IN LH DOOR *SELF CLOSING DOORS

Available Colours: OOOO

SINGLE DOOR ACID CABINET



QS-SASB3524-22R-CORROSIVES

NOTE: ONLY AVAILABLE IN RH DOOR

Available Colours:

DOUBLE DOOR FLAMMABLE CABINETS



QS-SFSB3530-22SCC

QS-SFSB3536-22SCC QS-SFSB3548-22SCC

*SELF CLOSING DOORS

Available Colours: OOO

DOUBLE DOOR ACID CABINETS



QS-SASB3530-22-CORROSIVES QS-SASB3536-22-CORROSIVES QS-SASB3548-22-CORROSIVES

Available Colours: OOO









TABLES+BENCHES

Tables and Benches

Table Frames (TF) and Workbenches (TWB) come standard at 30" deep, with widths of 48", 60" and 72". As standard, this 1000 lb. capacity table has hanging rails installed for future suspended cabinet installation. Height adjustments range from 30" to 38", in 1" increments.









TITAN TABLES



*TOP NOT INCLUDED See Product: Phenolic Surface - Table

Available Colours: OOO



TITAN WORKBENCHES



QS-TWB-AL4830-N QS-TWB-AL6030-N QS-TWB-AL7230-N


*TOP NOT INCLUDED See Product: Phenolic Surface - Bench

Available Colours: OOO






TITAN BOX FRAMES (T3)



Available Colours: OOO



TITAN BOX FRAMES (T12)



Available Colours: OOO







Need assistance choosing the right product or part? Give us a call at (226) 780-4793 or email info@canadianscientific.ca.

Tables and Benches

Titan Shelf Kits are available in two styles: Bookend (B) and Inverted (U). The brackets are compatible with all Titan Box Frames and Titan Work Benches, and kit widths should match the width of the unit they are paired with. We offer 1", 3", and 6" extended shelf kits to accommodate a range of storage needs.



BENCH SHELVING 13"D



BENCH SHELVING 15"D




BENCH SHELVING 18"D



Available Colours: OOO

BENCH SHELVING INVERTED BRACKET



Bench Accessories

Adjustable Raceways are compatible with titan box frames and work benches. Each unit includes brackets and a cord that exits cleanly from the bottom right for easy cable management. Phenolic resin surfaces are pre-cut and finished to fit on our Benches, Tables, Mobile Cabinets, and even shelving when paired with our shelf brackets.



Note: Surfaces will have finished edges on all visible sides including a chamfer along the top edge. Phenolic surfaces are 1" thick and black. Phenolic for shelving brackets and mobile cabinet tops is 3/4" thick and black.

RACEWAYS



QS-TC-48RW-4G

QS-TC-60RW-5G OS-TC-72RW-6G

*6 Foot cord exits out bottom right.

*5-20P NEMA Plug

Available Colours: OOO



PHENOLIC SURFACES - BENCH




QS-PHE-TW1-4830-1.00BC QS-PHE-TW1-6030-1.00BC

OS-PHE-TW1-7230-1.00BC

Available Colour:

SERVICE PLATES



OS-TB-CP-3P OS-TB-CP-3G

(3) Electrical (G) and (3) Plumbing (P) cutouts.

*Electrical and plumbing not included

Available Colours: OOO

PHENOLIC SURFACES - TABLE



QS-PHE-TAB-4830-1.00BC OS-PHE-TAB-6030-1.00BC QS-PHE-TAB-7230-1.00BC

Available Colour:

CEILING SERVICE PANEL



OS-CSPA-24X24-4E8P

*24x24 Tile.

(4) Electrical (E) and (8) Plumbing (P) cutouts.

*Electrical and plumbing not included

Available Colours: OOO



PHENOLIC SHELVING



OS-PHE-SHE-2813-0.75BC OS-PHE-SHE-3413-0.75BC

QS-PHE-SHE-4613-0.75BC

QS-PHE-SHE-4415-0.75BC OS-PHE-SHE-5615-0.75BC

QS-PHE-SHE-6815-0.75BC

Available Colour:





HOODS+ACCESSORIES

Fume Hoods

The Solution Hood, designed to handle a multitude of applications. Its streamlined posts and radius airfoil, along with a 36-inch heigh viewing area, offer a softer look than conventional fume hoods. The hood passed NIH, EPA and ASHRAE 110 testing by a third party. The hood can be used in both CV and VAV designs. Epoxy work surface with 2 sink cutout locations is included with GFI receptacles and a light switch as standard.

SOLUTION HOODS



QS-SOL-48 QS-SOL-60 QS-SOL-72

Available Colours:





Pictured: 60" L x 30" D Solution Hood (QS-SOL-60) with Double Door Sink Cabinets x2 (QS-SB3530-200-S), Air Flow Alarm (QS-TEL-500), L-Fillers x2 (QS-SLF35-6)



Fume Hood Accessories

Equip your fume hood with additional cup sinks, fixtures, and airflow alarms.



REMOTE FAUCETS



QS-FXTCWGNVB QS-FXTCWDS

*DS = Down Spout

*QS-FXTCWGNVB Shown.

VALVES



QS-FXTAIR QS-FXTGAS

QS-FXTNIT QS-FXTVAC

ALARM



QS-TEL500

SWITCH



QS-BLSW

CUP SINK



QS-CS36

* 3" x 6"


Available Colour:



Need Assistance?

Scan the QR code or visit canadianscientific.ca/contact-us to connect with our team





CS1 Canadian Scientific The Future of Laboratory Design

- **L** +1 (226) 780-4793
- (#) canadianscientific.ca







